

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|---|---|------------------|---------|------------------|
| L1 | 115492 | can with bus | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L2 | 1914 | ("CAN" (controller near area near network)) near2 bus same node | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L3 | 7 | ("CAN" (controller near area near network)) near2 bus same node same message same queue | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L4 | 364 | (700/214).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/11/13 16:07 |
| L5 | 157 | (700/216).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/11/13 16:07 |
| L6 | 106 | (700/217).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/11/13 16:07 |
| L7 | 905 | (local and remote) with (rpc or remote near2 (procedure or function or method or call)) same (can or controller adj area adj network) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L8 | 2952 | (controller adj area adj network) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L9 | 18 | (controller adj area adj network) same node same local same remote | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L10 | 3 | (controller adj area adj network) same node same message same object | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L11 | 1 | (local and remote) with (rpc or remote near (procedure or function or method or call)) same message same packet same node | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L12 | 1793 | (local and remote) with (rpc or remote near (procedure or function or method or call)) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| L13 | 25 | (local and remote) with (rpc or remote near (procedure or function or method or call)) and (message same packet same node) and queue | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L14 | 19 | host same device same ((control\$4 or device or abstract or work adj management) adj object) same node | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L15 | 0 | motion adj object same control\$4 adj area adj network | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L16 | 0 | host same device same ((control\$4 or device or abstract or work adj management) adj object) and (control\$4 adj area adj network) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L17 | 32 | havi same network with device same control\$4 with object | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L18 | 1 | protection adj channel same switch same schedul\$4 with call | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L19 | 282 | protection adj channel same switch | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L20 | 41 | protection adj channel same switch same communication | USPAT | OR | ON | 2006/11/13 16:07 |
| L21 | 41 | rpc same object with queue | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L22 | 53 | (chambers).in. and phillips | USPAT | OR | ON | 2006/11/13 16:07 |
| L23 | 0 | home adj3 network same abstract adj device | USPAT | OR | ON | 2006/11/13 16:07 |
| L24 | 88 | abstract adj device | USPAT | OR | ON | 2006/11/13 16:07 |
| L25 | 17 | abstract adj device and home | USPAT | OR | ON | 2006/11/13 16:07 |
| L26 | 3 | host same ((control\$4 or device or abstract or work adj management) adj object) and (control\$4 adj area adj network) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L27 | 4 | control\$4 adj area adj network same object same node same (message or packet) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| L28 | 6 | storage near library same (controller adj area adj network) same node | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L29 | 55 | (host same (network with device) same control\$4 with object) and node same (message or packet) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L30 | 0 | host same (network with device) same control\$4 with object same node same (message or packet) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L31 | 0 | local same remote same (rpc remote adj procedure) same (os operating adj system) near2 (command instruction) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L32 | 145 | local same remote same (rpc remote adj procedure) same (os operating adj system) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | OFF | 2006/11/13 16:07 |
| L33 | 160 | remote same (rpc remote adj procedure) same (kernel) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | OFF | 2006/11/13 16:07 |
| L34 | 90 | L33 and (@ad < "20010105") | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | OFF | 2006/11/13 16:07 |
| L35 | 0 | L34 and rtos | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L36 | 12 | can adj object same node same (message or packet) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L37 | 160 | remote same (rpc remote adj procedure) same (kernel) | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | OFF | 2006/11/13 16:07 |
| L38 | 187 | (719/314).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/11/13 16:07 |
| L39 | 592 | (719/313).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/11/13 16:07 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| L40 | 13 | L34 and message adj queue | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L41 | 7 | ("CAN" (controller near area near network)) near2 bus same node same message same queue | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L42 | 496 | local same remote same messag\$3 same queue and distribut\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L43 | 140 | (local same remote same messag\$3 same queue same node) and distribut\$3 | US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB | OR | ON | 2006/11/13 16:07 |
| L44 | 983 | (719/315).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/11/13 16:07 |
| L45 | 544 | (719/316).CCLS. | US-PGPUB; USPAT | OR | OFF | 2006/11/13 16:07 |

[Google](#)[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

site:portal.acm.org "controller area network" re

[Advanced Search](#)
[Preferences](#)**Web** Results 1 - 19 of about 25 from portal.acm.org for "controller area network" remote local. (0.17 seconds)**[\[PDF\] The CAN Microcluster: Parallel Processing Over the Controller Area ...](#)**

File Format: PDF/Adobe Acrobat

but commonly used networks such as the controller area network. By developing a computer ... REMOTE. I/O. CAN. REMOTE. I/O. CAN. 120 Ohms. MCU0. CAN.

LOCAL ...

portal.acm.org/ft_gateway.cfm?id=1101672&type=pdf - [Similar pages](#)**[\[PDF\] Design and Implementation of a Real-Time Notification Service ...](#)**

File Format: PDF/Adobe Acrobat

operating over the CAN bus (Controller Area Network). The CAN [3] bus is a widely-used real-time ... Supplier, local Event Channel, Network, remote Event ...

portal.acm.org/ft_gateway.cfm?id=1141454&type=pdf - [Similar pages](#)**[A new method for transferring CAN messages using wireless ATM](#)**

Considering widespread use of controller area network (CAN) FieldBus ... 6 Erturk I.

Remote access of CAN nodes used in a traffic control system to a ...

portal.acm.org/citation.cfm?id=1053030.1053033 - [Similar pages](#)**[\[PDF\] Reconfigurable Distributed Systems Based on FPGAs and Fieldbuses](#)**

File Format: PDF/Adobe Acrobat

remote reconfiguration through the fieldbus is possible. ... Controller Area Network (CAN) fieldbus [7] because it is adequate for DESs and common in ...

portal.acm.org/ft_gateway.cfm?id=1071784&type=pdf - [Similar pages](#)**[\[PDF\] PROCESS CONTROL ACROSS NETWORK](#)**

File Format: PDF/Adobe Acrobat

Ethernet, CAN (Controller Area Network), and Internet belong to RAN networks. ...

Ethernet is one of the most used local area network. (LAN) technologies. ...

portal.acm.org/ft_gateway.cfm?id=1168946&

type=pdf&coll=portal&dl=ACM&CFID=15151515&CF... - [Similar pages](#)**[\[PDF\] MESSAGE DELAY ANALYSIS FOR CAN BASED NETWORKS](#)**

File Format: PDF/Adobe Acrobat

Controller Area Network (CAN) is a small heal area. network which is suitable especially for ... remote framesonly. It is also assumed that the system is ...

portal.acm.org/ft_gateway.cfm?id=143592&type=pdf - [Similar pages](#)**[\[PDF\] Data Management in the CarTel Mobile Sensor Computing System](#)**

File Format: PDF/Adobe Acrobat

CAN (controller area network) interface, and by at- ... software requests data from

remote nodes, aggregates ... results are stored in a local database. ...

portal.acm.org/ft_gateway.cfm?id=1142569&type=pdf - [Similar pages](#)**[\[PDF\] FlexRay Transceiver in a 0.35 \$\mu\$ m CMOS High-Voltage Technology](#)**

File Format: PDF/Adobe Acrobat

the bus (remote wake-up) or from the wake-up pin (local. wake-up), is revealed. ...

Controller Area Network (CAN)," International Standard ...

portal.acm.org/ft_gateway.cfm?id=1131397&type=pdf - [Similar pages](#)**[\[PDF\] A MESSAGE PRIORITY ASSIGNMENT ALGORITHM FOR CAN BASED NETWORKS ...](#)**

File Format: PDF/Adobe Acrobat

Controller Area Network (CAN) defines a very efficient ... Besides data frames and remote frames there are 2 more. types of frames: the error frame, which ...

portal.acm.org/ft_gateway.cfm?id=131218&

type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=6... - [Similar pages](#)**[Robocar: Unmanned Ground Robotics](#)**

... CAN-AMP is one of three nodes on our CAN (Controller Area Network). ... The

Robocar needs to make only local decisions and does not need to keep a map ...

portal.acm.org/ft_gateway.cfm?id=326953&type=html&coll=ACM&dl=ACM -

[Similar pages](#)**[Design and Implementation of a CAN / CAN Bridge](#)**

Distributed real-time control systems require a powerful communication link between remote subsystems. The Controller Area Network (CAN) was developed to ...

portal.acm.org/citation.cfm?id=525588.850005&

coll=&dl=acm&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)**[Transversal issues in real-time sense-and-respond systems](#)**

A distributed framework to facilitate human-robot remote interaction. ...

communication system based on the **controller area network**: Experimental results.

...
portal.acm.org/citation.cfm?id=1072533 - [Similar pages](#)

[\[PDF\] Reuse of Software in Distributed Embedded Automotive Systems](#)

File Format: PDF/Adobe Acrobat

key the signal of the type **remote** key is ON as long as the ... **Controller Area Network (CAN)** - an. overview. <http://www.can-cia.de/can/>, Mar. 2003. ...

portal.acm.org/ft_gateway.cfm?id=1017787&type=pdf - [Similar pages](#)

[\[PDF\] Analysis and Optimization of Distributed Real-Time Embedded Systems](#)

File Format: PDF/Adobe Acrobat

2.2.2 **Controller Area Network**. The CAN bus is a priority bus that employs ... TT activities are triggered based on the **local** clock available in each process ...

portal.acm.org/ft_gateway.cfm?id=1142984&

type=pdf&coll=&dl=acm&CFID=15151515&CFTOKEN=... - [Similar pages](#)

[\[PDF\] Reducing BDD Size by Exploiting Functional Dependencies*](#)

File Format: PDF/Adobe Acrobat

the system. For example, a cache entry is a **local** copy of a. remotely-stored. value. The cache entry is then functionally. dependent on the **remote** value. ...

portal.acm.org/ft_gateway.cfm?id=164888&

type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - [Similar pages](#)

[First Beowulf Cluster in Space](#)

... satellite by fairly slow quad-redundant **controller area network (CAN)** ... in the area of **remote** sensing use Linux, as do most modern cluster systems. ...

portal.acm.org/ft_gateway.cfm?id=1084792&type=html - [Similar pages](#)

[\[PDF\] Schedulability-Driven Frame Packing for Multicenter Distributed ...](#)

File Format: PDF/Adobe Acrobat

tigate the **controller area network (CAN)** protocol, while the work of Tindell ... In the case of CAN 2.0A, there are four frame types: data frame, **remote** ...

portal.acm.org/ft_gateway.cfm?id=1053276&type=pdf - [Similar pages](#)

[\[PDF\] Balancing Register Pressure and Context-Switching Delays in ASTI ...](#)

File Format: PDF/Adobe Acrobat

CAN (**Controller Area Network**) [20] is a. carrier-sense / multiple-access with collision resolution ... [12] PCF8574 **Remote** 8-bit I/O Expander for I2C-bus, ...

portal.acm.org/ft_gateway.cfm?id=1086335&type=pdf - [Similar pages](#)

[\[PDF\] ACM FrameMaker Template for SIG Site](#)

File Format: PDF/Adobe Acrobat

the **controller area network (CAN)** bus [4], or statically, at. predetermined moments in time, ... **remote** frame, error frame, and overload frame. We are ...

portal.acm.org/ft_gateway.cfm?id=780748&

type=pdf&coll=&dl=ACM&CFID=15151515&CFTOKEN=6... - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 19 already displayed. If you like, you can [repeat the search with the omitted results included](#).

Try [Google Desktop](#): search your computer as easily as you search the web.

site:portal.acm.org "controller area n"

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google